**>** The guarantee of being the first

■ La garantie d'être les leaders

Mit der Garantie des Marktführers



₩

MACHINE MOUNTS
RUBBER DAMPERS
METALLIC DAMPERS
RUBBER TO METAL PRODUCTS
STAINLESS STEEL PRODUCTS
MARINE DAMPERS

SUPPORTS MACHINES
AMORTISSEURS CAOU
AMORTISSEURS META
PRODUITS CAOUTCHOU
PRODUITS INOX
SUPPORTS MARINS

71.911025

Szerszám Kereskedőház Kft.


H-2330 Dunaharaszti, Templom u. 8. Telefon: +36 I 260 30 30

шшш.uranusz.hu

info@uranusz.hu

Szerszámban a mérce®





They are manufactured in 5 sizes.

These mounts are suitable for machinery that needs a perfect leveling. That range includes mounts that can be fixed to the floors.


Suitable for machines with great horizontal efforts. Available with different pads in rubber, polyurethane or mixture of synthetic elements, nitrile and cork.


**MOUNTS** 


### Air mounts serie



These mounts offer a great absorption of vibrations for machinery of low frequency and impacts. They offer a natural frequency between 2,5 and 6 Hz, depending on the pressure of loading. Suitable for the dampening of static and dynamic vibrations.







These machine mounts are mainly used for marine applications in engines, compressors, pumps, gensets and other types of machines. They are fitted with a mechanical stop or failsafe (rebound).


That machine mount allows controlling vibrations in three directions and guarantees different degrees of stiffness in the three main axes. The EGAMARINE is available in three sizes and the small and medium sizes are available in stainless steel.

MO

#### **EGAMOUI**








The mounts Egamount provide an elastic support mechanism for equipment isolation and protect against any unwanted vibrations. They may be used in generator sets, power presses, motors, pumps, machine tools, rolling mills, printing machinery, textile machinery...

With the EGAMOUNT shocks are avoided as well as the transmission of noise and vibration to the surrounding equipment. The horizontal stiffness is greater than the vertical stiffness. This prevents any unwanted sliding movement of equipment such as the injection machines.


Thanks to the specific design, rubber does not come into contact with oil or grease.



# High Profile Serie



They are manufactured in rubber to metal (65° Shöre) and designed with an anti-sliding vent in their base. It is the oldest serie of Egaña machine mounts, suitable for machinery with low frequency vibrations and for irregular floors. More than 2,5 million of these mounts have been already sold all over the World. The wide range of these mounts allows to choose the appropriate size for every machine, depending on the weight of the machine and on the number of fixing points, thus achieving a high performance of the machine mount and an optimum price.




**MOUNTS** 

## Low profile Serie / Stainless steel serie




They are manufactured in rubber to metal (65° Shöre) and the design of the rest allows the adherence onto the floor. These models suit the modern needs of machinery with poor vibrations, medium and high frequency vibrations, and smooth floors. For inclined floors they can be supplied with a socket system (M-12 and M-16). The wide range of these mounts allows to choose the appropriate size for every machine, depending on the weight of the machine and on the number of fixing points, thus achieving a high performance of the machine mount and an optimum price. Available in stainless steel too.



**Polyurethane Serie** 

They are high resistance machine mounts, which combine a great absorption of efforts with little deflection and maximum adherence. Made of polyurethane (80° Shöre) and cast steel GGG-40. They are resistant to water, oils, high and low temperatures, abrasion and shocks. Two models are available, FIXED or with SOCKET system. Suitable for heavy machines and conditions with a high risk of deterioration due to oil or other agents (plastic injection machines, etc...).






**MOUNTS** 

#### **CAM Serie**




CAM machine mounts are equipped with a circular metallic bowl, a synthetic rubber (75° Shöre) and an hexagonal head screw. The conception of the CAM mounts gives the main following characteristics: Protection of the synthetic rubber base to corrosion thanks to the metallic bowl which is at the same time a stable base for the feet of the machinery. It's a long life machine mount with a high adherence to floors.

The CAM mount is suitable for heavy machinery with strong vibrations and/or shocks both horizontal (Plastic injectors and vertical (Presses, sheet-metal shears, quillotines, etc...).




MATS

#### Anti-vibration and anti-skid mats



They are manufactured in three different formats and are aimed to cover all the needs that might appear to those machines, which, due to their continuous and flat base, do not admit the assembly of conventional machine mounts. Should leveling be not necessary, this results into an economical isolation as they can be cut easily. The traditional models by Egaña (AL) are suitable for heavy loads and there is also a model made in polyurethane (AL-Polyurethane).



#### Rubber-metal dampers




This series of bobbin mounts are one of the most commonly used in general industries. All the models can be loaded in compression and shear, or a combination of compression and shear (never traction) for protection from severe vibrations, shock and noises. Wide range of different

dimensions in 5 cylindrical formats:

T Series, H Series, TH Series, TS Series and HS Series. Wide range in 2 Diabolo formats:

TD Series and HD Series. Progressive stops TP and HP are available too in several formats.




#### MOUNTS


# Stainless steel mounts



The characteristics of these mounts are similar to the ones in normal steel but the applications are not the same as they are mainly used in chemical industry, pharmaceutical industry or food and beverage industry. The range of these products includes the Egaña series of dampers of type T and HD and some machine mounts of low profile range as well as the polyurethane serie.



## Metallic dampers



Suitable for machinery and equipment which produce low frequency vibrations. Springs of different power can be combined in order to obtain the whole range of loads using the desired number of springs.

Available in several sizes.



CELING SUSTAINER

RUBBER

METALLIC

**DAMPERS** 

# Acoustic ceiling and wall sustainers



These sustainers are compounded of a metallic cage fitted with a rubber or metal damper from where we can hang a metal part or a machine. Suitable to avoid noise and low or medium frequencies.

The dampers used for walls are designed for fixing cardboard tablets to the wall or between two walls.





CERTIFICADO Nº SGI1199485 ISO 9001:2000

TALLERES EGAÑA, S.L.
Paseo Egiburuberri 19 C
Poligono Egiburuberri
20100 Errenteria
Apartado 149
20080 San Sebastián - Spain
e-mail:eganasl@eganasl.com
www.eganasl.com
Tel.: 34 943 468835 - Fax.: 34 943 460828